

228-344

2/20/2014

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

George Meindl  
Nufarm Americas Inc.  
11901 S. Austin Avenue  
Alsip, IL 60803

FEB 20 2014

Subject: Notification; Per PR-Notice 2007-4  
Millennium Ultra Granular Weed Killer  
EPA Reg. No. 228-344  
Date Submitted: February 4, 2014


Dear Mr. Meindl:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated February 4, 2014 for the product referenced above. The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Kable Bo Davis at (703) 306-0415 or [davis.kable@epa.gov](mailto:davis.kable@epa.gov).

Sincerely,

  
Kathryn Montague  
Product Manager 23  
Herbicide Branch  
Registration Division (7505P)



United States  
**Environmental Protection Agency**  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 228-344	2. EPA Product Manager Kathryn Montague	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Millennium Ultra Granular Weed Killer	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Nufarm Americas, Inc. 11901 South Austin Avenue Alsip, IL 60803 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**

**FEB 20 2014**

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued Stenciled <input type="checkbox"/> Other _____					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name George Meindl george.meindl@us.nufarm.com	Title Sr. Regulatory Affairs Manager	Telephone No. (Include Area Code) 708.377.1423
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received <b>(Stamped)</b>
2. Signature George Meindl <small>Digitally signed by George Meindl DN: cn=George Meindl, o=Nufarm, ou=... email=george.meindl@us.nufarm.com, c=US Date: 2014.01.28 15:46:12 -0600</small>	3. Title Sr. Regulatory Affairs Manager	
4. Typed Name George Meindl	5. Date 2/4/2014	



3/8

**Nufarm Americas Inc.**  
**George Meindl**  
**Sr. Regulatory Affairs Manager**  
11901 South Austin Avenue  
Alsip, IL 60803  
Phone: 708.377.1423 Fax: 708.377.1425  
george.meindl@us.nufarm.com

February 4, 2014

Via Overnight Courier

Kathryn Montague (PM-23)  
Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U. S. Environmental Protection Agency  
Room S4900, One Potomac Yard  
2777 S. Crystal Drive  
Arlington, VA 22202

Subject: Millennium Ultra Granular Weed Killer  
EPA Reg. No. 228-344  
Label Notification per PRN 2007-4

Dear Ms. Montague:

Nufarm Americas Inc. would like to add language to the subject product's labeling. The proposed language is consistent with PR Notice 2007-4. We have updated the container disposal section within the storage and disposal box. In addition, with this label submission we have updated the subject product's labeling to our current address.

To process this request please find enclosed the following:

- Application for Pesticide Registration (EPA form 8570-1)
- Revised labeling with areas of change clearly identified (1 copy)
- Revised labeling – clean (1 copy)

If you should have any questions regarding this matter, please feel free to contact me at 708.377.1423 or email at [george.meindl@us.nufarm.com](mailto:george.meindl@us.nufarm.com)

Sincerely,

George Meindl  
Sr. Regulatory Affairs Manager  
Nufarm Americas Inc.

4/8  
highlighted  
see pg. 3

(Commercial Only Label)

# MILLENNIUM ULTRA GRANULAR WEED KILLER

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS ON NON-RESIDENTIAL ORNAMENTAL LAWNS AND TURF GRASSES.

CONTAINS 2,4-D, CLOPYRALID AND DICAMBA

Weeds contacted by this product gradually die and disappear from the lawn.  
Treats (or covers) 6,700 Square Feet

**ACTIVE INGREDIENTS:**

Dimethylamine Salt of 2,4-D* .....	1.381%
Clopyralid Acid** .....	0.142%
Dicamba Acid*** .....	0.142%

<b>OTHER INGREDIENTS:</b> .....	98.335%
<b>TOTAL:</b> .....	100.000%

BY ISOMER SPECIFIC METHOD, EQUIVALENT TO:

*2,4-D Acid .....	1.147%
**Clopyralid Acid .....	0.142%
***Dicamba Acid .....	0.142%

IN NEWYORK STATE, THIS PRODUCT MAY ONLY BE SOLD TO AND USED BY PROFESSIONAL APPLICATORS AND IS PROHIBITED FROM SALE AND USE IN NASSAU AND SUFFOLK COUNTIES.  
IN CALIFORNIA, OREGON, AND WASHINGTON, TURFGRASS AND LAWN USES ARE RESTRICTED TO GOLF COURSES ONLY.

This product cannot be used on Agricultural, Forest sites or Right-of-way.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
**SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS**

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
For Medical Emergencies Only, call (877) 325-1840

**NOTIFICATION**

**FEB 20 2014**

EPA REG. NO. 228-344  
EPA EST. NO. 228-IL-1

MANUFACTURED BY  
NUFARM AMERICAS INC.  
11901 South Austin Avenue  
Alsip, IL 60803



NET WEIGHT 20 LBS.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):**

All loaders, applicators, and other handlers must wear:

- long-sleeved shirt and long pants,
- shoes plus socks, and
- chemical-resistant gloves made of any waterproof material.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

<b>USER SAFETY RECOMMENDATIONS</b>	
<b>Users Should:</b>	
<ul style="list-style-type: none"> <li>• Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.</li> <li>• Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.</li> <li>• Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.</li> </ul>	

<b>FIRST AID</b>	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

**ENVIRONMENTAL HAZARDS**

This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

Do not apply this product in a way that will contact workers or other persons, either directly through drift. Only protected handlers may be in the area during application.

This product is for use on Ornamental Turf Lawns (Industrial and Institutional), Parks, Cemeteries, Athletic and Recreational Sports Fields, Golf Courses (Fairways, Aprons, Tees\* and Roughs) and similar turf areas. \*Excluding Bentgrass.

Do not use on Centipede, Dichondra, and St. Augustine. Do not use this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants. Do not apply when air temperature exceeds 90°F. Avoid overlapping.

Do not use on residential turf. Do not collect grass clippings for mulch or compost. Do not send clippings to a compost facility. Applicator must give notice to landowners/property managers to not use grass clippings for mulching or composting.

Not for use on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

The maximum number of broadcast applications per treatment site is 2 per year.

6/8

**WEEDS CONTROLLED**

This product is designed to control many broadleaf weeds such as:

- |                            |                      |                        |                           |
|----------------------------|----------------------|------------------------|---------------------------|
| Alder                      | Dogbane              | Orange hawkweed        | Stinging nettle           |
| Annual yellow sweet clover | Dogfennel            | Oxalis                 | Stinkweed                 |
| Artichoke                  | Elderberry           | Oxeye daisy            | Stitchwort                |
| Aster                      | English daisy        | Parsley-piert          | Strawberry clover         |
| Austrian fieldcress        | Fall dandelion       | Parsnip                | Sumac                     |
| Bedstraw                   | False dandelion      | Pearlwort              | Sunflower                 |
| Beggartick                 | False flax           | Pennycress             | Sweet clover              |
| Biden                      | False sunflower      | Pennywort              | Tall nettle               |
| Bindweed                   | Fiddleneck           | Peppergrass            | Tall vervain              |
| Bird vetch                 | Field bindweed       | Pepperweed             | Tansy mustard             |
| Bitterweed                 | Field pansy          | Pigweed                | Tansy ragwort             |
| Bitter wintercress         | Flea bane (daisy)    | Pineywoods bedstraw    | Tanweed                   |
| Black-eyed Susan           | Flixweed             | Plains coreopsis       | Tarweed                   |
| Black Medic                | Florida betony       | Plantain               | Thistle                   |
| Black Mustard              | Florida pusley       | Poison henlock         | Tick trefoil              |
| Black-seed plantain        | Frenchweed           | Poison ivy             | Toadflax                  |
| Blessed thistle            | Galinsoga            | Poison oak             | Trailing Crownvetch       |
| Blue lettuce               | Garlic mustard       | Pokeweed               | Tumble mustard            |
| Blue vervain               | Goathead             | Poorjoe                | Tumble pigweed            |
| Box elder                  | Goatsbeard           | Povertyweed            | Tumbleweed                |
| Bracted plantain           | Goldenrod            | Prickly lettuce        | Velvet leaf               |
| Brassbuttons               | Ground ivy           | Prickly sida           | Venice mallow             |
| Bristly oxtongue           | Gumweed              | Primrose               | Veronica                  |
| Broadleaf dock             | Hairy bittercress    | Prostrate knotweed     | Vervain                   |
| Broadleaf plantain         | Hairy fleabane       | Prostrate pigweed      | Vetch                     |
| Broomweed                  | Hawkweed             | Prostrate spurge       | Virginia buttonweed       |
| Buckhorn                   | Healall              | Prostrate vervain      | Virginia creeper          |
| Buckhorn plantain          | Heartleaf drymary    | Puncture vine          | Virginia pepperweed       |
| Bulbous buttercup          | Hedge bindweed       | Purslane               | Wavyleaf bullthistle      |
| Bull nettle                | Hedge mustard        | Ragweed                | Western clematis          |
| Bull thistle               | Hemp, Henbit         | Red clover             | Western salsify           |
| Burdock                    | Hoary cress          | Redroot pigweed        | White clover              |
| Burning nettle             | Hoary plantain       | Red sorrel             | White mustard             |
| Bur ragweed                | Hoary vervain        | Redstem filaree        | Wild aster                |
| Burweed                    | Honeysuckle          | Rough cinquefoil       | Wild buckwheat            |
| Buttercup                  | Hop clover           | Rough fleabane         | Wild carrot               |
| Canada thistle             | Horsenettle          | Roundleafed marigold   | Wild four-o'clock         |
| Carolina geranium          | Horsetail            | Rush                   | Wild garlic               |
| Carpetweed                 | Indiana mallow       | Russian pigweed        | Wild geranium             |
| Catchweed Bedstraw         | Ironweed             | Russian thistle        | Wild lettuce              |
| Catsear                    | Jewelweed            | St. Johnswort          | Wild marigold             |
| Catnip                     | Jimsonweed           | Scarlet pimpernel      | Wild mustard              |
| Chickweed                  | Kochia               | Scotch thistle         | Wild onion                |
| Chicory                    | Knawel               | Sheep sorrel           | Wild parsnip              |
| Cinquefoil                 | Knotweed             | Shepherdspurge         | Wild radish               |
| Clover                     | Lambsquarter         | Slender plantain       | Wild rape                 |
| Cockle                     | Lespedeza            | Smallf lower galinsoga | Wild strawberry           |
| Cocklebur                  | Locoweed             | Smartweed              | Wild sweet potato         |
| Coffeebean                 | Lupine               | Smooth dock            | Wild vetch                |
| Coffeeweed                 | Mallow               | Smooth pigweed         | Willow                    |
| Common chickweed           | Marshelder           | Sneezeweed             | Witchweed                 |
| Common mullein             | Matchweed            | Southern wild rose     | Woolly croton             |
| Common sowthistle          | Mexicanweed          | Sowthistle             | Woolly morning-glory      |
| Corn Chamomile             | Milk vetch           | Spanishneedle          | Woolly plantain           |
| Creeping jenny             | Milkweed bloodflower | Spatterdock            | Woodsorrel                |
| Crimson clover             | Mugwort              | Speedwell              | Wormseed                  |
| Croton                     | Morningglory         | Spiny amaranth         | Yarrow                    |
| Cudweed                    | Mouseear chickweed   | Spiny cocklebur        | Yellow rocket             |
| Curly dock                 | Musk thistle         | Spotted catsear        | Yellow lower pepperweed   |
| Curly indigo               | Mustard              | Spotted knapweed       | and other broadleaf weeds |
| Dandelion                  | Narrowleaf plantain  | Spotted spurge         |                           |
| Dead nettle                | Narrowleaf vetch     | Spurge                 |                           |
| Dock                       | Nettle               | Spur weed              |                           |

**WHEN TO APPLY:** Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

**NOTE:** When applying to listed Warm Season Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

**HOW TO APPLY:** This bag should be used on 6,700 square feet. Apply evenly with a lawn spreader as a one pass application, criss-crossing the area at half the rate each time is also acceptable and will improve uniformity of application..

Consult manufacturer settings for spreader to deliver a suggested rate of 3 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 0.75pound per 250 square feet.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Always use original container to store pesticides in a secured warehouse or storage building. Do not stack more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides.

**PRODUCT DISPOSAL:** Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL:

##### [Nonrefillable bags:]

**Nonrefillable container:** Do not reuse or refill this container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay away from smoke.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

#### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV020414)

**OPTIONAL SPREADER INSTRUCTIONS:**

(Illustration)For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.

(Illustration)For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

Suggested spreader settings are not intended to replace calibration.

Please calibrate your spreader prior to applying product.

XXX pounds treats XXX square feet at the XXX pounds per acre rate

**OPTIONAL MARKETING STATEMENTS**

Contains Millennium Ultra - A Premium Selective Herbicide

**OPTIONAL MARKETING STATEMENT(S)**

For Both Cool Season & Warm Season Grasses

The following note will not be part of the actual label copy.

<sup>1</sup>Note: Spreader Settings will vary among various commercial spreader manufacturers.

**EDITOR'S NOTE:**

<sup>2</sup>The State Sale and Use Prohibitions of this product must be part of printed label text for any product which might possibly enter the channels of trade in the states of New York, California, Oregon and/or Washington. The state label prohibition is optional for all other states.

Special Editor's Note: **REVISED**

